

STRUCTURAL PLASTIC BONDER POLYCARBONATE • PVC • POLYSULFONE Ultra Light-Weld® 3093 Series

INTRODUCTION

Dymax Ultra Light-Weld® structural adhesives can be cured with UV or visible light. Ultra Light-Weld's faster, deeper cure, increases productivity, lowers assembly costs and enhances worker safety. When cured with Dymax Light Welder® UV lamps, these adhesives provide optimum process flexibility. They allow the user to select the optimum combination of adhesive and cure mechanism to meet individual process and performance requirements.

DESCRIPTION

Recommended especially for polycarbonate, Ultra Light-Weld 3093 Series UV plastic bonders cure in seconds upon exposure to longwave (365 nm) UV light. Tough, environmentally resistant bonds are formed between polycarbonate and a variety of other plastic substrates. Bonds combine flexibility with excellent tensile strength and resistance to thermal shock. Ultra Light-Weld 3093 Series UV adhesives are available in a range of viscosities to suit most applications.

TYPICAL UNCURED PROPERTIES

Solvent Content	None - 100% Reactive Solids	
Chemical Class	Urethane (Meth) Acrylate	
Appearance	Clear/Light Amber Liquid	
Solubility	Alcohol/Chlorinated Solvents/Ketones	
Toxicity	Low	
Refractive Index	1.49 (20°C)	
Density	1.10 g/mL	
Flash Point	95°C (200°F)	
Viscosity	3093	3,100 cP (nominal) ASTM D-1084
	3093-T	15,000 cP (nominal) ASTM D-2556
	3093-Gel	31,000 cP (nominal) ASTM D-2556

TYPICAL CURED PROPERTIES

PHYSICAL

Durometer Hardness	D80	ASTM D-2240
Tensile at Break	9,500 psi	ASTM D-638
Elongation at Break	5%	ASTM D-638
Modulus of Elasticity	500,000 psi	ASTM D-638
Thermal Limit (brittle/degrades)	-55° to 180°C (-65° to +350°F)	DSTM D-200*
Coefficient of Thermal Expansion	65.0 x 10 ⁻⁶ /°C	ASTM D-696
Water Absorption (24 h)	2.6%	ASTM D-570
Boiling Water Absorption (2 h)	4.0%	ASTM D-570
Linear Shrinkage	2.6%	ASTM D-696

*DSTM refers to Dymax Standard Test Method

DYMAX Corporation - 51 Greenwood Road - Torrington, CT 06790 - Phone: 860-482-1010 - Fax: 860-496-0608
E-mail: info@dymax.com - www.dymax.com

DYMAX Europe GmbH - Trakehner Strasse 3 - D-60487 Frankfurt am Main - Germany - Phone: 0049-69-7165-3568
Fax: 0049-69-7185-3830 - E-mail: dymaxinfo@dymax.de

DYMAX®, Light-Weld®, Light-Welder®, Multi-Cure®, Ultra Light-Weld®, MEDI-CURE® and MD® are trademarks of DYMAX Corporation



DYMAX CORPORATION

PRODUCT DATA SHEET

3093 series, 09/2003

UV LIGHT CURE DATA - Using 365 nanometer UV light ^[1].

	Cure Time (seconds)	Intensity ^[2] mW/cm ²	Dymax Light-Welder [®] Lamps
Fixture between glass slides	5	20	2000-EC
Nominal Cure Depth (0.18-inch)	60	20	2000-EC
Tack-Free Surface Cure (0.125-inch bead)	15	150	5000-EC

DISPENSING AND HANDLING ADHESIVE

Dymax 3093 Series are available in various packages such as syringes, cartridges, bottles, and pails. They may be dispensed with a variety of automatic bench-top syringe applicators or other equipment as required. Direct questions relating to dispensing and curing systems for specific applications to the Dymax Technical Center at 860-482-1010.

Wear impervious gloves and/or barrier cream. Repeated or continuous skin contact with liquid adhesive will cause irritation and should be avoided. Do not wear absorbent gloves. Remove adhesive from skin with soap and water. Never use solvents to remove adhesive from skin or eyes.

STORAGE AND SHELF LIFE

Store material in a cool, dark place when not in use. Do not expose to UV light or sunlight. Material may polymerize upon prolonged exposure to ambient light. Replace lid immediately after use. Product has a three-month shelf life when stored below 90°F in the original, unopened container.

CAUTION

For industrial use only. Avoid breathing vapors. Avoid contact with eyes and clothing. In case of contact, immediately flush with water for at least 15 minutes; get medical attention. Wash clothing before reuse. Keep out of reach of children. Do not take internally. If swallowed, induce vomiting at once and call a physician. Repeated or continuous skin contact with liquid adhesive will cause irritation and should be avoided. For specific information, refer to the product Material Safety Data Sheet.

NOTES

[1] Do not recommend lamps that emit high levels of shortwave light

[2] Nominal intensity taken at a pre-determined distance. This reading does not reflect the maximum intensity capabilities emitted from the lamp.

© 2003 Dymax Corporation

MD® Medical Device Adhesives is also a registered trademark of Dymax Corporation

The data contained in this bulletin is of a general nature and is based on laboratory test conditions. Dymax does not warrant the data contained in this bulletin. Any warranty applicable to the product, its application and use is strictly limited to that contained in Dymax's standard Conditions of Sale. Dymax does not assume responsibility for test or performance results obtained by users. It is the user's responsibility to determine the suitability for the product application and purposes and the suitability for use in the user's intended manufacturing apparatus and methods. The user should adopt such precautions and use guidelines as may be reasonably advisable or necessary for the protection of property and persons. Nothing in this bulletin shall act as a representation that the product use or application will not infringe a patent owned by someone other than Dymax or act as a grant of a license under any Dymax Corporation Patent. Dymax recommends that each user adequately test its proposed use and application before actual repetitive use, using the data contained in this bulletin as a general guide.

DYMAX Corporation - 51 Greenwood Road - Torrington, CT 06790 - Phone: 860-482-1010 - Fax: 860-496-0608
E-mail: info@dymax.com - www.dymax.com

DYMAX Europe GmbH - Trakehner Strasse 3 - D-60487 Frankfurt am Main - Germany - Phone: 0049-69-7165-3568
Fax: 0049-69-7185-3830 - E-mail: dymaxinfo@dymax.de

DYMAX®, Light-Weld®, Light-Welder®, Multi-Cure®, Ultra Light-Weld®, MEDI-CURE® and MD® are trademarks of DYMAX Corporation

